



## INVENTORY CLEARANCE SALE 01/12

| Specs             | Description   | Qty. |
|-------------------|---|------|
| PH3201-305        | PH3201-305 Moil Point 12" * H32x160 mm shank sharp  | 300  |
| PH3201-381        | PH3201-381 Moil Point 15" * H32x160 mm shank sharp  | 309  |
| PH3202-305        | PH3202-305 Chisel 12" * H32x160 mm shank flat       | 201  |
| PH3202-381        | PH3202-381 Chisel 15" * H32 x160 mm shank flat      | 200  |
| SKR32-270-HC40    | Shank adapter, R32, length 270mm, shank for HC40    | 5    |
| SKT38-525-COP1838 | Shank adapter, T38, length 525mm, shank for COP1838 | 10   |
| SKT45-525-COP1838 | Shank adapter, T45, length 525mm, shank for COP1838 | 12   |
| SKT45-550-HL500   | Shank adapter, T45, length 550mm, shank for HL500   | 9    |
| SKT45-575-COP1238 | Shank adapter, T45, length 575mm, shank for COP1238 | 5    |
| SKT45-655-HD300   | Shank adapter, T45, length 655mm, shank for HD300   | 10   |
| SKT51-785-HD715   | Shank adapter, T51, length 785mm, shank for HD715   | 3    |
| RBN8-64           | Dome reaming bit, D.64mm                            | 1    |
| RBN8-64           | Dome reaming bit, D.64mm                            | 6    |
| RBN8-64           | Dome reaming bit, D.64mm                            | 9    |
| RBN8-76           | Reaming equipment, reaming bit, D.76mm, taper 6°    | 10   |
| RP40-R28          | Reaming equipment, pilot adapter, D.40mm, R28       | 10   |
| B32A4-2-2211-01   | Tapered button bit, D.32mm, Hex.22mm, taper 11°     | 18   |
| B32H2212-522L     | Tapered button bit, D.32mm, Hex.22mm, taper 12°     | 1    |
| B32H2212-522L/P7I | Tapered button bit, D.32mm, Hex.22mm, taper 12°     | 2    |
| B32H2212-52L      | Tapered button bit, D.32mm, Hex.22mm, taper 12°     | 2    |
| B32H227A          | Tapered button bit, D.32mm, Hex.22mm, taper 7°      | 6    |
| B32H227AY         | Tapered button bit, D.32mm, Hex.22mm, taper 7°      | 4    |
| B32N5B-2-1222L    | Tapered button bit, D.32mm, Hex.22mm, taper 12°     | 11   |
| B33A5-2-2212-01   | Tapered button bit, D.33mm, Hex.22mm, taper 12°     | 50   |
| B33A5-2-2212-02   | Tapered button bit, D.33mm, Hex.22mm, taper 12°     | 5    |

CALL TODAY FOR AVIALABILITY

+86 851 8678 0702 Ext. 8038 • ydan@jsintl.com.cn



## INVENTORY CLEARANCE SALE 02/12

| Specs              | Description   | Qty. |
|--------------------|---|------|
| B33H227-K52Y3/P3I  | Tapered button bit, D.33mm, Hex.22mm, taper 7°            | 1    |
| B33H227L-K52Y3/P3I | Tapered button bit, D.33mm, Hex.22mm, taper 7°            | 5    |
| B34H2211-422/P3    | Tapered button bit, D.34mm, Hex.22mm, taper 11°           | 11   |
| B34H227-52/P1I     | Tapered button bit, D.34mm, Hex.22mm, taper 7°            | 4    |
| B36A5-2-2211Y      | Tapered button bit, D.36mm, Hex.22mm, taper 11°           | 1    |
| B36H2211-52        | Tapered button bit, D.36mm, Hex.22mm, taper 11°           | 1    |
| B36H2211-522Y1/GJ1 | Tapered button bit, D.36mm, Hex.22mm, taper 11°           | 1    |
| B36H226-42C1I      | Tapered button bit, D.36mm, Hex.22mm, taper 6°            | 1    |
| B38A6-2-2212-01    | Tapered button bit, D.38mm, Hex.22mm, taper 12°           | 14   |
| B38H2212-3IL/P6    | Tapered button bit, D.38mm, Hex.22mm, taper 12°           | 6    |
| B38N5-2-1222       | Tapered button bit, D.38mm, Hex.22mm, taper 12°           | 5    |
| B40N5-2-257Y       | Tapered button bit, D.40mm, Hex.25mm, taper 7°            | 1    |
| B41A4-2-22*4       | Tapered button bit, D.41mm, Hex.22mm, taper 4°            | 1    |
| B41A5-2-2211Y      | Tapered button bit, D.41mm, Hex.22mm, taper 11°           | 2    |
| B41A5B-2-2211Y     | Tapered button bit, D.41mm, Hex.22mm, taper 11°           | 3    |
| B41H227-311A/P6    | Tapered button bit, D.41mm, Hex.22mm, taper 7°            | 9    |
| B41N5-2-1122       | Tapered button bit, D.41mm, Hex.22mm, taper 11°           | 15   |
| B41N5B-2-1122      | Tapered button bit, D.41mm, Hex.22mm, taper 11°           | 2    |
| B42N3B-1-7*22      | Tapered button bit, D.42mm, Hex.22mm, taper 7°            | 100  |
| B42N5-2-1122       | Tapered button bit, D.42mm, Hex.22mm, taper 11°           | 20   |
| B48N5-2-7*22       | Tapered button bit, D.48mm, Hex.22mm, taper 7°            | 17   |
| B51N6B-3-7*22      | Tapered button bit, D.51mm, Hex.22mm, taper 7°            | 1    |
| B35R25H            | Threaded button bit, D.35mm, R25                          | 0    |
| B38R25H            | Threaded button bit, D.38mm, R25                          | 1    |
| B38R28-52A/P1I     | Threaded button bit, D.38mm, R28, buttons guage×5 front×2 | 5    |

CALL TODAY FOR AVIALABILITY

+86 851 8678 0702 Ext. 8038 • ydan@jsintl.com.cn



## INVENTORY CLEARANCE SALE 03/12

| Specs          | Description   | Qty. |
|----------------|---|------|
| B41N5-2-R25Y   | Threaded button bit, D.41mm, R25, buttons guage×5 front×2 | 1    |
| B41N5-2-R28    | Threaded button bit, D.41mm, R32, buttons guage×5 front×2 | 1    |
| B41N5B-2-R25   | Threaded button bit, D.41mm, R25, buttons guage×5 front×2 | 1    |
| B41R25A        | Threaded button bit, D.41mm, R25                          | 1    |
| B41R25H        | Threaded button bit, D.41mm, R25                          | 2    |
| B41R25H-D-01   | Threaded button bit, D.41mm, R25                          | 15   |
| B43H6-3-R32    | Threaded button bit, D.43mm, R32, buttons guage×6 front×3 | 62   |
| B43N5B-2-R25Y  | Threaded button bit, D.43mm, R25, buttons guage×5 front×2 | 10   |
| B43N6-3-R32    | Threaded button bit, D.43mm, R32, buttons guage×6 front×3 | 4    |
| B43R32         | Threaded button bit, D.43mm, R32                          | 4    |
| B43R32H-D-01   | Threaded button bit, D.43mm, R32                          | 75   |
| B45A6-2-R32    | Threaded button bit, D.45mm, R32, buttons guage×6 front×2 | 2    |
| B45A6B-3-R25   | Threaded button bit, D.45mm, R32, buttons guage×6 front×3 | 2    |
| B45A6B-3-R32   | Threaded button bit, D.45mm, R32, buttons guage×6 front×3 | 2    |
| B45H5-2-R32-01 | Threaded button bit, D.45mm, R32, buttons guage×5 front×2 | 172  |
| B45H5B-2-R25   | Threaded button bit, D.45mm, R25, buttons guage×5 front×2 | 4    |
| B45H6-3-R32    | Threaded button bit, D.45mm, R32, buttons guage×6 front×3 | 49   |
| B45N6-3-R32    | Threaded button bit, D.45mm, R32, buttons guage×6 front×3 | 8    |
| B45R25A        | Threaded button bit, D.45mm, R25                          | 4    |
| B45R25A-D-01   | Threaded button bit, D.45mm, R25                          | 5    |
| B45R32-52H     | Threaded button bit, D.45mm, R25, buttons guage×5 front×2 | 3    |
| B45R32-52H/B1I | Threaded button bit, D.45mm, R32, buttons guage×5 front×2 | 4    |
| B45R32-52H/H   | Threaded button bit, D.45mm, R32, buttons guage×5 front×2 | 2    |
| B45R32-52H/HI  | Threaded button bit, D.45mm, R32, buttons guage×5 front×2 | 3    |
| B45R32-52H/SII | Threaded button bit, D.45mm, R32, buttons guage×5 front×2 | 20   |

CALL TODAY FOR AVIALABILITY

+86 851 8678 0702 Ext. 8038 • ydan@jsintl.com.cn



## INVENTORY CLEARANCE SALE 04/12

| Specs           | Description   | Qty. |
|-----------------|---|------|
| B45R32-633A/PI  | Threaded button bit, D.45mm, R32, buttons guage×6 front×3 | 3    |
| B45R32-633H     | Threaded button bit, D.45mm, R32, buttons guage×6 front×3 | 1    |
| B45R32-633H/B1  | Threaded button bit, D.45mm, R32, buttons guage×6 front×3 | 1    |
| B45R32-633H/B8  | Threaded button bit, D.45mm, R32, buttons guage×6 front×3 | 1    |
| B45R32-633H/P8I | Threaded button bit, D.45mm, R32, buttons guage×6 front×3 | 2    |
| B45R32-633H/PI  | Threaded button bit, D.45mm, R32, buttons guage×6 front×3 | 29   |
| B45R32-63A      | Threaded button bit, D.45mm, R32, buttons guage×6 front×3 | 16   |
| B45R32-63A      | Threaded button bit, D.45mm, R32, buttons guage×6 front×3 | 1    |
| B45R32-63A/HI   | Threaded button bit, D.45mm, R32, buttons guage×6 front×3 | 48   |
| B45R32A         | Threaded button bit, D.45mm, R32                          | 7    |
| B45R32A         | Threaded button bit, D.45mm, R32                          | 14   |
| B45R32A         | Threaded button bit, D.45mm, R32                          | 68   |
| B45R32-G633A/H  | Threaded button bit, D.45mm, R32, buttons guage×6 front×3 | 13   |
| B45R32-G633A/HI | Threaded button bit, D.45mm, R32, buttons guage×6 front×3 | 4    |
| B45R32H         | Threaded button bit, D.45mm, R32                          | 279  |
| B45R32H         | Threaded button bit, D.45mm, R32                          | 25   |
| B45R32H         | Threaded button bit, D.45mm, R32                          | 4    |
| B45R32H         | Threaded button bit, D.45mm, R32                          | 301  |
| B45R32H         | Threaded button bit, D.45mm, R32                          | 20   |
| B45R32H-Y-03    | Threaded button bit, D.45mm, R32                          | 1    |
| B48A6-3-R32     | Threaded button bit, D.48mm, R32, buttons guage×6 front×3 | 6    |
| B48N6-3-R25Y    | Threaded button bit, D.48mm, R25, buttons guage×6 front×3 | 4    |
| B48N6-3-R32     | Threaded button bit, D.48mm, R32, buttons guage×6 front×3 | 15   |
| B50N6-2-R25Y    | Threaded button bit, D.50mm, R25, buttons guage×6 front×3 | 2    |
| B51H5B-2-R25Y   | Threaded button bit, D.51mm, R25, buttons guage×5 front×2 | 3    |

CALL TODAY FOR AVIALABILITY

+86 851 8678 0702 Ext. 8038 • ydan@jsintl.com.cn



## INVENTORY CLEARANCE SALE 05/12

| Specs               | Description   | Qty. |
|---------------------|---|------|
| B51R25A             | Threaded button bit, D.51mm, R25                          | 1    |
| B51R25A-D-01        | Threaded button bit, D.51mm, R25                          | 2    |
| B51R32H-Y-03        | Threaded button bit, D.51mm, R32                          | 1    |
| B57N5B-2-R25        | Threaded button bit, D.57mm, R25, buttons guage×5 front×2 | 1    |
| B57N8-4-R32Y        | Threaded button bit, D.57mm, R32, buttons guage×8 front×4 | 2    |
| B58R32M-321-90Y/G   | Threaded button bit, D.58mm, R32 (metric thread)          | 10   |
| B60H3-2-R32         | Threaded button bit, D.60mm, R32                          | 6    |
| B64H6-3-R38         | Threaded button bit, D.64mm, R38, buttons guage×6 front×3 | 2    |
| B64H6-3-T38         | Threaded button bit, D.64mm, T38, buttons guage×6 front×3 | 1    |
| B64N8-4-T38Y        | Threaded button bit, D.64mm, T38, buttons guage×8 front×4 | 2    |
| B64N8B-4-R38        | Threaded button bit, D.64mm, R38, buttons guage×8 front×4 | 3    |
| B64R32-63A-90       | Threaded button bit, D.64mm, R32, buttons guage×6 front×3 | 40   |
| B64R32A-90-D-03/P6I | Threaded button bit, D.64mm, R32 (metric thread)          | 2    |
| B64R32A-D-01        | Threaded button bit, D.64mm, R32                          | 15   |
| B64R32-D643SY       | Threaded button bit, D.64mm, R32, buttons guage×6 front×4 | 3    |
| B64R32-G633A/P1     | Threaded button bit, D.64mm, R32, buttons guage×6 front×3 | 2    |
| B64R32H-D-01        | Threaded button bit, D.64mm, R32                          | 1    |
| B64R32M-90-D-02/G6I | Threaded button bit, D.64mm, R32                          | 1    |
| B64R38A-D-01        | Threaded button bit, D.64mm, R38                          | 1    |
| B66N8-4-R25Y        | Threaded button bit, D.66mm, R25, buttons guage×8 front×4 | 3    |
| B66N8-4-R32Y        | Threaded button bit, D.66mm, R32, buttons guage×8 front×4 | 2    |
| B66N8-4-R38Y        | Threaded button bit, D.66mm, R38, buttons guage×8 front×4 | 1    |
| B69T38-D854AY1      | Threaded button bit, D.69mm, T38, buttons guage×8 front×5 | 10   |
| B69T38-D854AY1      | Threaded button bit, D.69mm, T38, buttons guage×8 front×5 | 9    |
| B70A8B-4-R38Y       | Threaded button bit, D.70mm, R38, buttons guage×8 front×4 | 12   |

CALL TODAY FOR AVIALABILITY

+86 851 8678 0702 Ext. 8038 • ydan@jsintl.com.cn



## INVENTORY CLEARANCE SALE 06/12

| Specs                | Description   | Qty. |
|----------------------|---|------|
| B76                  | Threaded button bit, D.76mm                               | 2    |
| B76A8-4-T38          | Threaded button bit, D.76mm, T38, buttons guage×8 front×4 | 18   |
| B76A8-4-T38          | Threaded button bit, D.76mm, T38, buttons guage×8 front×4 | 2    |
| B76A8-4-T38          | Threaded button bit, D.76mm, T38, buttons guage×8 front×4 | 2    |
| B76A8B-4-T45A        | Threaded button bit, D.76mm, T45, buttons guage×8 front×4 | 0    |
| B76A8B-4-T45A        | Threaded button bit, D.76mm, T45, buttons guage×8 front×4 | 27   |
| B76H8-4-R38          | Threaded button bit, D.76mm, R38, buttons guage×8 front×4 | 2    |
| B76H8-4-T45A         | Threaded button bit, D.76mm, T45, buttons guage×8 front×4 | 2    |
| B76H8-4-T45A         | Threaded button bit, D.76mm, T45, buttons guage×8 front×4 | 1    |
| B76H8-4-T45A/B76T45- | Threaded button bit, D.76mm, T45, buttons guage×8 front×4 | 4    |
| B76H8B-4-R38         | Threaded button bit, D.76mm, R38, buttons guage×8 front×4 | 2    |
| B76H8B-4-T45         | Threaded button bit, D.76mm, T45, buttons guage×8 front×4 | 4    |
| B76H8B-4-T45A        | Threaded button bit, D.76mm, T45, buttons guage×8 front×4 | 2    |
| B76H8B-4-T45A        | Threaded button bit, D.76mm, T45, buttons guage×8 front×4 | 3    |
| B76M6-2-T45Y         | Threaded button bit, D.76mm, T45, buttons guage×6 front×2 | 2    |
| B76M6-2-T45Y         | Threaded button bit, D.76mm, T45, buttons guage×6 front×2 | 2    |
| B76N8B-4-R38         | Threaded button bit, D.76mm, R38, buttons guage×8 front×4 | 1    |
| B76R38A              | Threaded button bit, D.76mm, R38                          | 3    |
| B76T38-842A3         | Threaded button bit, D.76mm, T38, buttons guage×8 front×4 | 1    |
| B76T38-842A4/B1      | Threaded button bit, D.76mm, T38, buttons guage×8 front×4 | 1    |
| B76T38H              | Threaded button bit, D.76mm, T38                          | 2    |
| B76T38-RD854A/B1     | Threaded button bit, D.76mm, T38, buttons guage×8 front×5 | 1    |
| B76T38-RD854A/B6     | Threaded button bit, D.76mm, T38, buttons guage×8 front×5 | 1    |
| B76T45A              | Threaded button bit, D.76mm, T45                          | 2    |
| B80H8-4-T38          | Threaded button bit, D.80mm, T38, buttons guage×8 front×4 | 1    |

CALL TODAY FOR AVIALABILITY

+86 851 8678 0702 Ext. 8038 • ydan@jsintl.com.cn



## INVENTORY CLEARANCE SALE 07/12

| Specs             | Description  | Qty. |
|-------------------|--|------|
| B80H8-4-T45       | Threaded button bit, D.80mm, T45, buttons guage×8 front×5          | 1    |
| B89A8-5-T38       | Threaded button bit, D.76mm, T38, buttons guage×8 front×5☆         | 5    |
| B89A8-5-T45-04    | Threaded button bit, D.89mm, T45, buttons guage×8 front×5          | 148  |
| B89A8-5-T45-04    | Threaded button bit, D.89mm, T45, buttons guage×8 front×5          | 1    |
| B89H8-5-T38       | Threaded button bit, D.89mm, T38, buttons guage×8 front×5          | 1    |
| B89H9-5-T51       | Threaded button bit, D.89mm, T51, buttons guage×9 front×5          | 1    |
| B89HH8-5-T51      | Threaded button bit, D.89mm, T51, buttons guage×8 front×5          | 1    |
| B89N8-5-T51       | Threaded button bit, D.89mm, T51, buttons guage×8 front×5          | 2    |
| B89T38-RD854A1/B1 | Threaded button bit, D.89mm, T38, buttons guage×8 front×5, retract | 3    |
| B89T38-RD854A1/B6 | Threaded button bit, D.89mm, T38, buttons guage×8 front×5, retract | 1    |
| B89T51A-D-01      | Threaded button bit, D.89mm, T51                                   | 0    |
| B89T51A-D-02      | Threaded button bit, D.89mm, T51                                   | 1    |
| B89T51-D854A/P11  | Threaded button bit, D.89mm, T51, buttons guage×8 front×5          | 1    |
| B89T51-R852H/P6   | Threaded button bit, D.89mm, T51, buttons guage×8 front×5          | 18   |
| B95T51-R852A/P6   | Threaded button bit, D.89mm, T51, buttons guage×8 front×5          | 2    |
| BD64A6-4-R32      | Threaded button bit, D.64mm, R32, buttons guage×6 front×4          | 1    |
| BD64N6-4B-T38     | Threaded button bit, D.64mm, T38, buttons guage×6 front×4          | 9    |
| BD64S6-4-T38      | Threaded button bit, D.64mm, T38, buttons guage×6 front×4          | 1    |
| BD76A6-5-T45      | Threaded button bit, D.76mm, T45, buttons guage×6 front×5          | 1    |
| BD76A6-5-T45      | Threaded button bit, D.76mm, T45, buttons guage×6 front×5          | 8    |
| BD76A8B-5-T45     | Threaded button bit, D.76mm, T45, buttons guage×8 front×5          | 2    |
| BD76H8B-5-T45     | Threaded button bit, D.76mm, T45                                   | 8    |
| BD76H8B-5-T45     | Threaded button bit, D.76mm, T45                                   | 7    |
| BD76N8-5-T51L     | Threaded button bit, D.76mm, T51, buttons guage×8 front×5          | 1    |
| BD76N8B-5-T45     | Threaded button bit, D.76mm, T45, buttons guage×8 front×5          | 2    |

CALL TODAY FOR AVIALABILITY

+86 851 8678 0702 Ext. 8038 • ydan@jsintl.com.cn



## INVENTORY CLEARANCE SALE 08/12

| Specs            | Description  | Qty. |
|------------------|--|------|
| BD76T38A         | Threaded button bit, D.76mm, T38                                     | 2    |
| BD76T45A         | Threaded button bit, D.76mm, T45                                     | 2    |
| BD76T45A         | Threaded button bit, D.76mm, T45                                     | 1    |
| BD76T45A         | Threaded button bit, D.76mm, T45                                     | 2    |
| BD89H8B-6-T45    | Threaded button bit, D.89mm, T45                                     | 2    |
| BD89H8B-6-T45    | Threaded button bit, D.89mm, T45, buttons guage×8 front×6            | 2    |
| BD89N8-6-T45     | Threaded button bit, D.89mm, T45                                     | 22   |
| BD89N8B-5-T51    | Threaded button bit, D.89mm, T51                                     | 3    |
| BD89T38A-D-01    | Threaded button bit, D.89mm, T38                                     | 1    |
| BD89T45A         | Threaded button bit, D.89mm, T45                                     | 1    |
| BD89T45A         | Threaded button bit, D.89mm, T45                                     | 5    |
| BD89T45A         | Threaded button bit, D.89mm, T45                                     | 3    |
| BDR102A8-7-GT60  | Threaded button bit, D.102mm, GT60, buttons guage×8 front×7, retract | 1    |
| BDR102T38AB      | Threaded button bit, D.102mm, T38, retract                           | 2    |
| BDR102T51A       | Threaded button bit, D.102mm, T38, retract                           | 2    |
| BDR115A8-7-GT60  | Threaded button bit, D.115mm, GT60, buttons guage×8 front×7, retract | 2    |
| BDR127A8-7-GT60  | Threaded button bit, D.127mm, GT60, buttons guage×8 front×7, retract | 4    |
| BDR127A8B-7-GT60 | Threaded button bit, D.127mm, GT60, buttons guage×8 front×7, retract | 1    |
| BDR60N6-4-R32Y   | Threaded button bit, D.60mm, R32, retract                            | 1    |
| BDR60N6B-4-R38Y  | Threaded button bit, D.60mm, R38, retract                            | 2    |
| BDR64N6-4-T38    | Threaded button bit, D.64mm, T38, buttons guage×6 front×4, retract   | 1    |
| BDR64S6-4-R32-01 | Threaded button bit, D.64mm, R32, buttons guage×6 front×4, retract   | 1    |
| BDR64S6B-4-T38   | Threaded button bit, D.60mm, T38, retract                            | 1    |
| BDR64S6B-4-T38   | Threaded button bit, D.60mm, T38, retract                            | 1    |
| BDR64T38S        | Threaded button bit, D.60mm, T38, retract                            | 3    |

CALL TODAY FOR AVIALABILITY

+86 851 8678 0702 Ext. 8038 • ydan@jsintl.com.cn





## INVENTORY CLEARANCE SALE 09/12

| Specs           | Description  | Qty. |
|-----------------|--|------|
| BDR70N6-4B-T38  | Threaded button bit, D.70mm, T38, buttons guage×6 front×4, retract | 3    |
| BDR70N6-4B-T45  | Threaded button bit, D.70mm, T45, buttons guage×6 front×4, retract | 1    |
| BDR70N8B-5-R32Y | Threaded button bit, D.70mm, R32, buttons guage×8 front×5, retract | 2    |
| BDR76N6-4B-R32  | Threaded button bit, D.76mm, R32, buttons guage×6 front×4, retract | 2    |
| BDR76N8-5B-R38  | Threaded button bit, D.76mm, R38, buttons guage×8 front×5, retract | 1    |
| BDR76N8-5-R32Y  | Threaded button bit, D.76mm, R32, buttons guage×8 front×5, retract | 2    |
| BDR76N8-5-R38Y  | Threaded button bit, D.76mm, R38, buttons guage×8 front×5, retract | 1    |
| BDR76S6B-4-R32  | Threaded button bit, D.76mm, R32, buttons guage×6 front×4, retract | 2    |
| BDR76T45A       | Threaded button bit, D.76mm, T45, buttons guage×6 front×4, retract | 1    |
| BDR82A8B-5-T51Y | Threaded button bit, D.82mm, T51, buttons guage×8 front×5, retract | 2    |
| BDR82S6B-4-T51  | Threaded button bit, D.82mm, T51, buttons guage×6 front×4, retract | 2    |
| BDR83A8B-5-T45  | Threaded button bit, D.83mm, T51, buttons guage×8 front×5, retract | 6    |
| BDR89A8B-5-R38  | Threaded button bit, D.89mm, R38, buttons guage×8 front×5, retract | 1    |
| BDR89N8B-6-R38  | Threaded button bit, D.89mm, R38, buttons guage×8 front×5, retract | 2    |
| BDR89T45A       | Threaded button bit, D.89mm, T45                                   | 9    |
| BDR89T45AY      | Threaded button bit, D.89mm, T45                                   | 1    |
| BR102G60H-D-01  | Threaded button bit, D.102mm, GT60, retract                        | 2    |
| BR102H8-6-T45   | Threaded button bit, D.102mm, T45, buttons guage×8 front×6, retrac | 2    |
| BR102N8-6-T45Y  | Threaded button bit, D.102mm, T45, buttons guage×8 front×6, retrac | 1    |
| BR102T45H       | Threaded button bit, D.102mm, T45, retract                         | 1    |
| BR115A8B-7-T45  | Threaded button bit, D.115mm, T45, buttons guage×8 front×7, retrac | 1    |
| BR115N10-8-R38Y | Threaded button bit, D.115mm, R38, buttons guage×10 front×8, retra | 2    |
| BR127H9-6-T45   | Threaded button bit, D.127mm, T45, buttons guage×9 front×6, retrac | 1    |
| BR140G60-88M    | Threaded button bit, D.140mm, GT60, retract                        | 1    |
| BR51A6B-3-R32   | Threaded button bit, D.51mm, R32, buttons guage×6 front×3, retract | 22   |

CALL TODAY FOR AVIALABILITY

+86 851 8678 0702 Ext. 8038 • ydan@jsintl.com.cn



## INVENTORY CLEARANCE SALE 10/12

| Specs           | Description  | Qty. |
|-----------------|--|------|
| BR51H6-3-R32    | Threaded button bit, D.51mm, R32, buttons guage×6 front×3, retract | 1    |
| BR57A6B-3-R25Y  | Threaded button bit, D.57mm, R25, buttons guage×6 front×3, retract | 2    |
| BR57N8-4-R32Y   | Threaded button bit, D.57mm, R32, buttons guage×8 front×4, retract | 1    |
| BR57R32AB       | Threaded button bit, D.57mm, R32, retract                          | 2    |
| BR60N6-3-R32Y   | Threaded button bit, D.60mm, R32, buttons guage×6 front×3, retract | 2    |
| BR60N6B-3-R32Y  | Threaded button bit, D.60mm, R32, buttons guage×6 front×3, retract | 2    |
| BR60N8B-4-R32Y  | Threaded button bit, D.60mm, R32, buttons guage×8 front×4, retract | 2    |
| BR60N8B-4-R38Y  | Threaded button bit, D.60mm, R38, buttons guage×8 front×4, retract | 1    |
| BR64H6-3-R38Y   | Threaded button bit, D.64mm, R38, buttons guage×6 front×3, retract | 2    |
| BR64N6B-4-R32LY | Threaded button bit, D.64mm, R32, buttons guage×6 front×4, retract | 2    |
| BR64N6B-4-R38LY | Threaded button bit, D.64mm, R38, buttons guage×6 front×4, retract | 2    |
| BR64T38H-D-01   | Threaded button bit, D.64mm, T38, retract                          | 1    |
| BR66N6B-4-R32LY | Threaded button bit, D.64mm, T38, retract                          | 2    |
| BR66N8B-4-R32Y  | Threaded button bit, D.66mm, R32, buttons guage×8 front×4, retract | 2    |
| BR70H7-4-R38Y   | Threaded button bit, D.70mm, R38, buttons guage×7 front×4, retract | 2    |
| BR70N6B-4-R32Y  | Threaded button bit, D.70mm, R32, buttons guage×6 front×4, retract | 1    |
| BR70N6B-4-R38Y  | Threaded button bit, D.70mm, R38, buttons guage×6 front×4, retract | 1    |
| BR70N8B-4-R32Y  | Threaded button bit, D.70mm, R32, buttons guage×6 front×4, retract | 2    |
| BR70N8B-4-R38Y  | Threaded button bit, D.70mm, R38, buttons guage×6 front×4, retract | 2    |
| BR76N8-4-R38Y   | Threaded button bit, D.76mm, R38, buttons guage×8 front×4, retract | 2    |
| BR76N9-5-R38Y   | Threaded button bit, D.76mm, R38, buttons guage×9 front×5, retract | 1    |
| BR76T38AY       | Threaded button bit, D.76mm, T38, retract                          | 1    |
| BR84N9-5-T45Y   | Threaded button bit, D.84mm, T45, buttons guage×9 front×5, retract | 1    |
| BR89H9B-5-T51   | Threaded button bit, D.89mm, T51, buttons guage×9 front×5, retract | 2    |
| BR89N8-4-T45S   | Threaded button bit, D.89mm, T45, buttons guage×8 front×4, retract | 2    |

CALL TODAY FOR AVIALABILITY

+86 851 8678 0702 Ext. 8038 • ydan@jsintl.com.cn



# INVENTORY CLEARANCE SALE 11/12

| Specs          | Description  | Qty. |
|----------------|--|------|
| BR89N9-5-R32Y  | Threaded button bit, D.89mm, R32, buttons guage×9 front×5, retract | 1    |
| BR89N9B-5-R32Y | Threaded button bit, D.89mm, R32, buttons guage×9 front×5, retract | 2    |
| BR89N9B-5-R38Y | Threaded button bit, D.89mm, R38, buttons guage×9 front×5, retract | 1    |
| BR89T45H       | Threaded button bit, D.89mm, T45, retract                          | 1    |
| BR89T51A       | Threaded button bit, D.89mm, T51, retract                          | 6    |
| BR89T51A       | Threaded button bit, D.89mm, T51, retract                          | 3    |
| BR89T51H       | Threaded button bit, D.89mm, T51, retract                          | 1    |
| BR89T51H       | Threaded button bit, D.89mm, T51, retract                          | 1    |
| B102H9-6-GT60  | Threaded button bit, D.102mm, GT60, buttons guage×9 front×6        | 1    |
| B115T51S-D-01  | Threaded button bit, D.115mm, T51                                  | 2    |
| B122T38-G983A  | Threaded button bit, D.122mm, T38, buttons guage×9 front×8         | 10   |
| B127T51A-D-01  | Threaded button bit, D.127mm, T51                                  | 29   |

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |

CALL TODAY FOR AVIALABILITY

+86 851 8678 0702 Ext. 8038 • ydan@jsintl.com.cn



# INVENTORY CLEARANCE SALE 12/12

| Specs              | Description                                       | Qty. |
|--------------------|---|------|
| EH25-2400-R25/R32  | Extension rod, Hex.25mm, R25/R32, length 2400mm   | 7    |
| EH25-2785-R25/R32  | Extension rod, Hex.25mm, R25/R32, length 2785mm   | 46   |
| EH25-3300-R25/R32  | Extension rod, Hex.25mm, R25/R32, length 3300mm   | 25   |
| EH25-3700-R32/R25  | Extension rod, Hex.25mm, R25/R32, length 3700mm   | 163  |
| EH28-2400-R28/R32  | Extension rod, Hex.28mm, R28/R32, length 2400mm   | 22   |
| EH28-2600-R28/R32  | Extension rod, Hex.28mm, R28/R32, length 2600mm   | 62   |
| EH28-3100-R32/R28  | Extension rod, Hex.28mm, R28/R32, length 3100mm   | 10   |
| EH32-2700-R32/R28  | Extension rod, Hex.32mm, R28/R32, length 2700mm   | 19   |
| EH32-3090-R32/R25  | Extension rod, Hex.32mm, R25/R32, length 3090mm   | 8    |
| EH32-3090-R38/R32  | Extension rod, Hex.32mm, R32/R38, length 3090mm   | 1    |
| EH32-4300-R38/R32  | Extension rod, Hex.32mm, R32/R38, length 4300mm   | 21   |
| EH32-4915-T38/R32  | Extension rod, Hex.32mm, R32/T38, length 4915mm   | 1    |
| EH35-3100-SR35/T38 | Extension rod, Hex.35mm, SR35/T38, length 3100mm  | 2    |
| EH35-3300-T38/R32  | Extension rod, Hex.35mm, R32/T38, length 3300mm   | 9    |
| EH35-3700-R32/R38  | Extension rod, Hex.35mm, R32/R38, length 3700mm   | 14   |
| EH35-3700-R32/T38  | Extension rod, Hex.35mm, R32/T38, length 3700mm   | 53   |
| EH35-4305-R32/T38  | Extension rod, Hex.35mm, R32/T38, length 4305mm   | 48   |
| EH35-4900-SR35/T38 | Extension rod, Hex.35mm, SR35/T38, length 4900mm  | 1    |
| EH35-4915-R32/T38  | Extension rod, Hex.35mm, R32/T38, length 4915mm   | 168  |
| ER32-1200-R32/R32  | Extension rod, Round.32mm, R32/R32, length 1200mm | 3    |
| MH35-3700-R32/T38  | MF rod, Hex.35mm, R32/T38, length 3700mm          | 14   |
| MR32-1220-R32/R32  | MF rod, Round.32mm, R32/R32, length 1220mm        | 3    |
| MR38-1220-T38/T38  | MF rod, Round.38mm, T38/T38, length 1220mm        | 100  |
| MR38-1525-T38/T38  | MF rod, Round.38mm, T38/T38, length 1525mm        | 133  |
| MR38-1830-T38/T38  | MF rod, Round.38mm, T38/T38, length 1830mm        | 32   |

CALL TODAY FOR AVIALABILITY

+86 851 8678 0702 Ext. 8038 • ydan@jsintl.com.cn